

eISSN: 2582-5542 Cross Ref DOI: 10.30574/wjbphs Journal homepage: https://wjbphs.com/



(REVIEW ARTICLE)



Orally disintegrating tablet: A review

Shashank Khailkhura, Bhavana Singh *, Deepika Joshi and Nidhi Semwal

School of Pharmaceutical Science, Shri Guru Ram Rai University, Patel Nagar, Dehradun, 248001, India.

World Journal of Biology Pharmacy and Health Sciences, 2022, 11(03), 018-025

Publication history: Received on 07 August 2022; revised on 15 September 2022; accepted on 17 September 2022

Article DOI: https://doi.org/10.30574/wjbphs.2022.11.3.0124

Abstract

Orally dispersive tablets are solid dosage forms that dissolve in the mouth in within 10 to 30 seconds, enabling waterless ingestion. The tablet dissolves quickly due to its fast breakdown, which also causes the effects to start acting quickly. ODTs can help patients with a variety of conditions, including pediatrics, geriatrics, psychosis, dysphagia, bedridden discomfort, comatose patients, young patients with undeveloped muscular and nervous systems, patients with hand tremors, and patients who travel often. It provides high stability, precise dosage, efficient manufacture, and smaller packing; self-administration is allowed on long journeys because water is not required. ODTs are a cost-effective way to distribute drugs. When a medicine is absorbed through the buccal cavity, ODTs constitute a critical drug delivery method. Spray drying, sublimation, and other scientific procedures like freeze drying, moulding, and direct compression. The availability of ODTs as over-the-counter drugs for the treatment of a range of illnesses is increasing. This article's objective is to go over the benefits, drawbacks, formulation difficulties, manufacturing methods, patented technologies, commercially available formulations, and evaluation checks of ODT. The word "Oro dispersible tablets" was created by the European Pharmacopoeia. This is an uncoated tablet that dissolves easily in the mouth for 3 minutes before being swallowed.

Keywords: ODTs; Pills; Sublimation; Moulding; Direct compression; Improved bioavailability

1 Introduction

Because of its ease of swallowing, discomfort avoidance, adaptability, and, most importantly, patient compliance, oral medication administration is preferred. Many patients find tablets and capsules difficult to swallow and many no longer take their medications as recommended. It is estimated that 50% of the population is affected by these issues, which leads to a higher risk of noncompliance and less effective treatment. For these reasons, tablets that may collapse in the oral cavity, have attracted big attention [1]. Solids dosage forms as oral tablets have the most huge place some of the entire pharmaceutical formulations [2]. Taste -covering is a vital steps withinside the formulation of an acceptable fast dissolving /disintegrating tablet (FDDT). Traditional tablet formulation generally do not solve the issue related to taste masking, because it is supposed that the dosage from will not disintegrate until it passes through the oral cavity. The put off the bitterness the pill can be organised through sugar coating on the tablets. Many FDDT Technologies combine of taste masking as well [3-5]. ODTs technology which make drugs dissolve or disintegrate in the oral hallow space without any additional water intake has drawn a extraordinary deal of attention. ODTs are a solid dosage shape that provides the speedy disintegration or dissolution of solid to offer as suspension or answer shape even when placed in the mouth under restricted bio-fluids [6-7]. Orally disintegrating capsules unknown through diverse call consisting of or dispersible pills, shorts disintegrating pill speedy disintegrating pills, rapid or fast dissolving pills, porous drugs mouth dissolving pills, porous drugs mouth dissolving pills and rapimelts [8, 10]. European pharmacopoeia has used the term Oro dispersible tablets. This can be described as uncoated pill meant to be positioned in mouth wherein, they disperse with no trouble inside 3 min earlier than swallowing [11]. Despite of extraordinary development in pills

* Corresponding author: Bhavana Singh

School of Pharmaceutical Science, Shri Guru Ram Rai University, Patel Nagar, Dehradun, 248001, India.

Copyright © 2022 Author(s) retain the copyright of this article. This article is published under the terms of the Creative Commons Attribution Liscense 4.0.

delivery, the oral direction stays the right direction stays the precise direction for the managements of marketers due to low price of therapy, ease of administration, correct dosage, self- medication, ache avoidance, versatility, main to high levels of affected person compliance. Pills and tablets are the maximum famous dosages shape. However, one crucial downside of such dosage shape is dysphasia or problems in swallowing. This is visible to stricken almost 35/ of the overall population. This disease is likewise related to a no of situation.

- Children
- Parkinsonism
- Motion sickness
- Elderly patients
- Mentally disabled persons
- Unavailability of water [12]
- Unconsciousness




Figure 1 Fast dissolving tablets therapeutics

The oral path stays the ideal course for the managements of healing marketers due to the fact the low forged of therapy, production and simplicity of admiration result in excessive triers of patients.

Orally disintegrating tablets (ODTs) swiftly crumble or dissolve with side the oral cavity without the usage of water. The oral course of management is taken into consideration because the maximum broadly popular course because of its comfort of self-managements, compactness and smooth manufacturing [13-14] while position with inside the mouth, those dosage paperwork crumble immediately to launch the drugs which dissolve or disperses withinside the saliva. Thereafter the drugs might also additionally get absorbed from different sections of git because the saliva journey down in such case bioavailability is considerably extra than that located from conventional dosage bureaucracy [15]. These are beneficial for paediatrics ,geriatric and additionally dysphagic sufferers, main to stepped forward sufferers compliance .nonetheless, oral dosing stays the favoured mode of managements for lots styles of remedy because of its simplicity ,versatility convenience ,and affected person acceptability.in current years, rapid dissolving tablets formula were evolved to triumph over hassle associated with swallowing difficult. While such capsule is positioned in oral cavity, saliva fast penetrates into the pores to purpose drugs disintegration [16].

2 Ideal properties of ODT'S

ODTs are being desired as superior dosage paperwork in most times over traditional instant launch dosages bureaucracy for diverse classes of drugs. It's far anticipated to undergo sure first -rate function that make the misdeal. ODTs fall apart or dissolve in mouth inside a completely brief time. They do not require water in administration gift desirable flavor masking residences mouth feel, solid in environmental situations and need to now no longer leave any residue in mouth after oral administration. ODTs now no longer require water on administration, gift applicable flavor covering properties, have to have excessive pills loading capacity attractive mouth feel, strong in environmental situations and have to now no longer leave any residue in mouth after oral administration [17]. The benefit provided with the aids of using ODTs over instant launch formula might also additionally encompass ease of method designing and manufacturing ,unit packaging, smooth to deal with through patients [18,19,20] no want of water to administer ,speedy disintegration of pill outcomes in brief dissolution and speedy absorption which can cause enhanced healing performance because of extended bioavailability [21].

2.1 Limitations of ODTs [22]

- Most of instances soluble diluents used for formulating ODTs would possibly render hygroscopic dosage which may also result in balance issues.
- The pill can also additionally depart ugly flavour and /or grittiness in mouth if now no longer formulated properly.
- Specialized packing is probably required for hygroscopic and mild touchy drugs.
- Precautions to be taken whilst administrating immediately after removing from pack.
- Rapid drug therapy intervention.
- After oral managements they have to go away minimum or no residue in mouth.
- The mouth feel should be pleasant.

2.2 Advantage of ODTs [23]

- Ease of administration to sufferers who refused to swallow a tablet, which included pediatric, geriatric, mentally ill, disable and uncooperative sufferers.
- Rapid dissolution of drug and absorption may produce rapid onset of action.
- Ability to provide advantages of liquid medication in the form of solid preparation.




Figure 2 Advantage of ODT

2.3 Disadvantage of ODTs [24]

- Rapid disintegrating pills are hygroscopic in nature a lot be saved at managed surrounding i.e., humidity and temperature.
- For nicely stabilization and protection of solid products, ODT require unique packaging.
- Typically have insufficient mechanical electricity hence, cautions dealing with is required.
- Depart unsightly flavour and /or grittiness in mouth if now no longer formulated properly [25].

3 Technical Preparation of Oro-Dispersible Tablet

3.1 Freezing drying or lyophilization

A manner wherein water is sublimated from wherein water is sublimated from the product after freezing is known as drying. Freeze drying. Freeze dried paperwork provide extra fast dissolution than different to be had strong products after freezing is referred to as freeze drying. Freeze dried bureaucracy provide extra speedy dissolution than different to be had strong products. The lyophilization procedure imparts sleek amorphous shape to the blocking sellers and now

and again to the drugs thereby enhancing the dissolution traits of the formulation. The usage of freeze drying is restrained because of excessive value of the device and processing different most important drawback of the very last dosage bureaucracy consist of loss of bodily resistance in popular blister pack. R.P Scherer patented Zaydis generation with the aid of using freeze drying procedure for the practice of mouth dissolving pills on the premise of patent issued to Gregory etal. Jaccard and leyder additional applied lyophilization to put together orodispersible drugs of numerous drugs [26, 27].

3.2 Moulding

Tablets produced with the aids of using Moulding are stable dispersion. Physical shape of the drugs withinside the pill relies upon whether or not and to what quantity it dissolves within sides the molten carrier. The pills can exist discrete debris or micro debris dispersed withinside the matrix disintegrating time, capsules dissolution price and mouth experience will rely on the form of dispersion or dissolution. Moulded pills fall apart extra unexpectedly and provide progressed flavor due to fact the dispersion matrix is in widespread shape water soluble sugars. Moulded drugs standard do now no longer own wonderful mechanical strength. Erosion and breakage of the moulded pills regularly all through dealing with and beginning of blister packs [28-29].

3.3 Sublimation

Because of low porosity, compressed pills composed of excipients as pill matrix cloth frequently do now no longer dissolve unexpectedly within side the water porous pill that show off true mechanical power and dissolve speedy were developed. Inert strong ingredients (ex, urea, urethane, ammonium carbonate, camphor, naphthalene) have been brought to different pills excipients and the combination turned into compressed into pill. Removal of risky fabric with the aid of using sublimation [30]




Figure 3 Sublimation

Sublimation generated a porous structure. Compressed pill containing mannitol and camphor had been organized with the aids of using sublimination techniques. The pill dissolve inside 10-20 second and showcase enough mechanical energy for realistic uses [31].

3.4 Spray Drying

Spray drying may be used to put together hastily dissolving tablets. This approach is primary based totally upon a specific guide matrix that is ready with the aid of using spray drying an aqueous composition containing aid matrix and different components to form a noticeably porous and high -quality powder. This is then blended with lively element and compressed into tablets. Allen and wang have hired spray drying strategies to put together orodispersible tablets [32-33].

3.5 Mass Extrusion

This generation contain buying the lively combo the use of the fixing combination of water-soluble polythene glycerol the uses of methanol and expulsion of softened mass thru extruder or syringe to get a cylinder of the product into even section the uses of warmth blade to shape tablets. The dried cylinder also can used to coat granules of sour tasting pills and thereby by making their sour taste [34-35].

3.6 Direct compression (dc)

Is the maximum and simplest and handiest pill production strategies for MDT as they may be fabricated the use of traditional pill production and packaging equipment and additionally because of availability of tabulating excipients with progressed float compressibility and disintegration properties , mainly flavor production and packaging equipment and additionally because of availability of tabulating excipient with stepped forward go with the drift , compressibility and disintegration properties , specially capsules disintegration bubbling agent and sugar primarily based totally excipients any other DC base technology ,flash tab includes covered crystal of drugs and micro granules in conjunction with disintegrate [36].

3.7 Tablet Moulding

Tablets produced through molding are strong dispersions. Physical shape of the drug withinside the capsules relies upon whether or not and to what extent, it dissolves withinside the molten service. The drug can exist as discrete small debris or micro debris dispersed withinside the matrix. It can dissolve completely withinside the molten provider to provide strong answer or dissolve partly withinside the molten provider and the closing debris live un dissolved and dispersed withinside the matrix. Disintegration time, drug dissolution price and mouth experience will rely upon the sort of dispersion or dissolution.

3.7.1 Fast dissolving films

It incorporates a Nano aqueous answer having water- soluble movie forming polymers (pullulan, carboxymethyl cellulose, hydroxyethyl cellulose) a drug and every other taste - overlaying sellers which might be used to increase a movie because the solvent evaporated .withinside the case of bitter - tasting pills resin adsorbents or covered micro particle of a tablets may be utilized in a film [37].

3.7.2 Manufacturing process of ODTs [38]

- Drugs turned into geometrically blended with microcrystalline cellulose, lactose, and sifted via sieve no .40.
- This mixture changed into in addition combined with starch and ferric oxide yellow in a fast mixer granulator.
- Binder answer became organized with the aid of using dissolving hydroxypropyl methyl cellulose beneath neath stirring in purified water.
- This binder answer turned into introduced to the aggregate withinside the speedy mixer granules.
- The granules mass was air dried for 5 to 10 min and further dried at 450C-550C to 10 min and passed through sieve no 10.
- Dry granules were sifted through sieve no 30 using vibratory sifted.
- In a clean dry blender the dried granules were mixed with hydroxy methylcellulose and magnesium stearate.
- This tablet was coating with coated pan.

4 Factors to be considered for the selection of the drug

Factors to be considered for the selection of the drug depend on various factors, which include taste, dose, stability, and pKA. The detailed illustration is shown in




Figure 4 Factors to be considered for the selection of a drug

4.1 Future Prospects

These dosage forms may be suitable for the oral delivery of drugs such as protein and peptide-based therapeutics that have limited bioavailability when administered by conventional tablets. These products usually degrade rapidly in the stomach. Should next generation drugs be predominantly protein or peptide based, tablets may no longer be the dominant format for dosing such moieties. Injections generally are not favored for use by patients unless facilitated by sophisticated auto-injectors. Inhalation is one good alternative system to deliver these drugs, but the increased research into biopharmaceuticals so far has generated predominantly chemical entities with low molecular weights. The developments of enhanced oral protein delivery technology by ODTs which may release these drugs in the oral cavity are very promising for the delivery of high molecular weight protein and peptide.

5 Conclusion

Orally disintegrating tablets have better patient acceptance and compliance and may offer improved biopharmaceutical properties, improved efficacy, and better safety compared with conventional oral dosage forms. Prescription ODT products initially were developed to overcome the difficulty in swallowing conventional tablets among pediatric, geriatric, and psychiatric patients with dysphagia. Today, ODTs are more widely available as OTC products for the treatment of allergies, cold, and flu symptoms. The target population has expanded to those who want.

Compliance with ethical standards

Acknowledgments

Authors have the honor to express deep gratitude to Shri Mahant Devendra Dass Ji Maharaj (Chancellor of SGRR University), Dean, Dr. Alka N. Chaudhary (School of Pharmaceutical Sciences) and HOD, Dr. Gnana Rajan for providing us all the facilities.

Disclosure of conflict of interest

The authors declare no conflicts of interest, financial or otherwise.

References

- [1] Chein YW. 2nd ed. New York: Marcel Dekker; 1992. Oral drug delivery and delivery systems.
- [2] Lindgren S, Janzon L. Dysphagia: Prevalence of swallowing complaints and clinical finding. Med Clin North Am. 1993; 77:3–5.
- [3] Fu Y, Yang S, Jeong SH, Kimura S, Park K. Orally fast disintegrating tablets: Developments, technologies, tastemasking and clinical studies. Crit Rev Ther Drug Carrier Syst. 2004; 21:433–76.
- [4] Bandari S, Mittapalli RK, Gannu R, Rao YM. Orodispersible tablets: An overview. Asian J of Pham. 2008; 2:2–11.

- [5] Habib W, Khankari RK, Hontz J. Fast dissolve drug delivery systems. Crit Rev Ther Drug Carrier Syst. 2000; 17:61–72.
- [6] Brown D. Orally disintegrating tablets-taste over speed. Drug Del Technol. 2003; 3:58–61.
- [7] Seager H. Drug delivery products and Zydis fast-dissolving forms. J Pharm Pharmacol. 1998; 50:375–82.
- [8] Behnke K, Sogaard J, Martin S, Bauml J, Ravindran AV, Agren H. Mitrazapine orally disintegrating tablet versus sertraline: A prospective onset of action study. J Clin Psychopharmacol. 2003; 23:358–64.
- [9] Clarke A, Brewer F, Johnson ES, Mallard N, Hartig F, Taylor S, et al. A new formulation of selegilline: Improved bioavailability and selectivity for MAO-B inhibition. J Neural Transm. 2003; 110:1241–55.
- [10] Dobetti L. Fast-melting tablets: Developments and technologies. Pharm Technol N Am. 2001; 12(9):44–50.
- [11] Yang S, Fu Y, Jeong SH, Park K. Application of poly (acrylic acid) superporous hydrogel microparticles as super disintegrants in fast disintegrating tablets. J Pharm Pharmacol. 2004; 56:429–36.
- [12] Ozeki T, Yasuzawa Y, Katsuyama H, Takshima Y, Kasai T, Eguchi T. Design of rapidly disintegrating oral tablets using acid-treated yeast cell wall: A technical note. AAPS Pharm Sci Tech. 2003; 4:E70.
- [13] Radke RS, Jadhav JK, Chajeed MR. Formulation and evaluation of orodispersible tablets of baclofen. Int J Chem Tech Res. 2009; 1:517–21.
- [14] Swamy PV, Shahidulla SM, Shirsand SB, Hiremath SN, Ali MY. Orodispersible tablets of carbmszepine prepared by direct compression method using 3² full factorial designs. J Pharm Sci. 2008; 7:1–5.
- [15] Allen LV, Wang B. Process for making a particulate support matrix for making a rapidly dissolving dosage form. US Patent 6.207. 2001:199.
- [16] Allen LV, Wang B, Davis LD. Rapid dissolving tablet. US Patent6.807. 1998:576.
- [17] Abdelbary G, Prinderre P, Eouani C, Joachim J, Reynier JP, Piccerelle P. The preparation of orally disintegrating tablets using a hydrophilic waxy binder. Int J Pharm. 2004; 278:423–33.
- [18] Kuno Y, Kojima M, Ando S, Nakagami H. Evaluation of rapidly disintegrating tablets manufactured by phase transition of sugar alcohols. J Control Release. 2005; 105:16–22.
- [19] Koizumi K, Watanabe Y, Morita K, Utoguchi N, Matsumoto M. New method of preparing high-porosity rapidly saliva soluble compressed tablet using mannitol with camphor: A subliming material. Int J Pharm. 1997; 152:127–31.
- [20] Swamy PV, Divate SP, Shirsand SB, Rajendra P. Preparation and evaluation of orodispersible tablets of pheniramine maleate by effervescent method. Indian J Pharm Sci. 2009; 71:151–4.
- [21] Kaushik D, Dureja H, Saini TR. Formulation and evaluation of olanzapine mouth dissolving tablets by effervescent. Indian Drugs. 2004; 41(7):410–12.
- [22] Mohire NC, Yadav AV, Gaikwad VK. Novel approaches in development of metronidazole orodispersible tablets. Res J Pharm Technol. 2009; 2:283–6.
- [23] Chang RK, Guo X, Burnside B, Couch R. Fast dissolving tablets. J Pharm Technol. 2000; 24:52–80.
- [24] Morella AM, Pitman IH, Heinicke GW. Taste masked liquid suspensions. US Patent6. 2001:197–348.
- [25] Gohel M, Patel M, Amin A, Agarwal R, Dave R, Bariya N. Formulation design and optimization of mouth dissolving tablets of nimesulide using vacuum drying technique. AAPS Pharm Sci Tech. 2005; 5:36–41.
- [26] Sunada H, Bi Y. Preparation, evaluation and optimization of rapidly disintegrating tablets. Powder Technol. 2002; 122:188–98.
- [27] Narazaki R, Harada T, Takami N, Kato Y, Ohwaki T. A new method for disintegration studies of rapid disintegrating tablet. Chem Pharm Bull (Tokyo) 2004; 52:704–7.
- [28] Kumar SS, Ravendra V, Vikash C, Prakash SS. Orally disintegrating tablets: A dosage form that extends the market exclusivity and patent protection. World J Pharm Pharm Sci 2014; 3(7):526-46.
- [29] Shubhra S, Kumar YS. Fast dissolving tablets: A strategy to improve solubility of poorly soluble compounds. Glob J Pharmacol 2014; 8(4):584-91.

- [30] Puneet M, Kumar SP, Rishabha M. A review on recent advances of oral mouth dissolving tablet. J Drug Discov Ther 2014; 2(18):17-22.
- [31] Alam MD, Nayyar P, Kumar SP. Novel technology for formulation and evaluation of mouth dissolving tablet - A review. Adv Biol Res 2014;8(5):180-6.
- [32] Deepika J, Mishra A. A review Formulation and development of orodispersible tablet. Int J Pharm Erudition 2014; 4(1):21-38.
- [33] Dey P, Maiti S. Orodispersible tablets: A new trend in drug delivery. J Nat Sci Biol Med 2010; 1(1):2-5.
- [34] Reddy BV, Navaneetha K. Formulation and evaluation of orodispersible tablets of candesartan. Pharm Innov J 2015; 4(1):25-32.
- [35] Kumar VS, Karthik N. Lovastatin fast dissolving tablets: Formulation and in vitro evaluation. Appl Sci Rep 2015; 11(2):76-82.
- [36] Girish TK, Shalini M. Formulation and evaluation of taste masked orodispersible tablet of levocetirizine dihydrochloride. Bull Pharm Res 2015; 5(1):31-4.
- [37] Pankaj S, Ashish D, Dheerendra R, Yogendra R, Ramakant J, Kuldeep S. Formulate and evaluate orodispersible tablets of primaquine. Indo Am J Pharm Res 2015; 5(5):1625-32.
- [38] Prasad SR, Nagamani R, Satyajit P. Formulation, in vitro characterization and stability studies of fast dispersing tablets of diclofenac sodium. J Appl Pharm Sci 2015; 5(7):94-102.